

MMPI-2					
NAME	DJC				
Date	8/11/06				
Age	63				
Education	21				
Gender	Male				
INITIALS	djc				
Date					
Validity Scales	Raw Scores	T-Scores			
L	n/a	57.06			
F	n/a	58.07			
K	n/a	46.36			
Clinical Scales	Raw Scores	T-Scores			
Hypochondriasis		75.62			
Depression		68.67			
Hysteria		71.39			
Psychopathic Deviate		56.38			
Masculinity-Femininity		45.94			
Paranoia		55.03			
Psychasthenia		62.26			
Schizophrenia		64.72			
Mania		53			
Social-Introversion		55.91			
Content Scales	Raw Scores	T-Scores			
Negative Treatment Indicators		59.22			
TRT1: Low Motivation		58.94			
TRT2: Inability to Disclose		52.87			
Clark, M. E.					

Psychological Assessment					
1996, 8, 1, 32-38					
Chronic Pain					
Program Completers	n = 113	Mean	SD		
Age	63	51.2	n/a		
Education	21	12.8	n/a		
MMPI					
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
L	57.06	57.06	9.76	0	50
F	58.07	58.07	14.57	0	50
K	46.36	46.36	10.17	0	50
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Hypochondriasis	75.62	75.62	10.34	0	50
Depression	68.67	68.67	12.72	0	50
Hysteria	71.39	71.39	14.34	0	50
Psychopathic Deviate	56.38	56.38	12.25	0	50
Masculinity-Femininity	45.94	45.94	7.94	0	50
Paranoia	55.03	55.03	15.03	0	50
Psychasthenia	62.26	62.26	15.34	0	50
Schizophrenia	64.72	64.72	15.52	0	50
Mania	53	53	15.03	0	50
Social-Introversion	55.91	55.91	12.15	0	50
Content Scales	T-Scores	Mean	SD	z-Score	Rank
Negative Treatment Indicators	59.22	59.22	13.22	0	50
TRT1: Low Motivation	58.94	58.94	14.38	0	50
TRT2: Inability to Disclose	52.87	52.87	11.26	0	50
Keller & Butcher					
1991					
Assessment of Chronic Pain					

MN; University of Minnesota Press					
Chronic Pain					
n = 502					
Male & Female combined					
MMPI					
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
L	57.06	54.3	9.8	0.28163265306	61.0887400133
F	58.07	54.3	12.2	0.30901639344	62.1345471722
K	46.36	48.9	10.5	-0.24190476190	40.4426980118
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Hypochondriasis	75.62	74.4	10.9	0.11192660550	54.4559199497
Depression	68.67	68.9	13.2	-0.01742424242	49.3049084715
Hysteria	71.39	75.4	13.2	-0.30378787878	38.0644750960
Psychopathic Deviate	56.38	58.8	11.9	-0.20336134453	41.9426305537
Masculinity-Femininity	45.94	48.1	9	-0.24	40.5165128302
Paranoia	55.03	57.3	13	-0.17461538461	43.0690929570
Psychasthenia	62.26	62.4	13.2	-0.01060606060	49.5768873321
Schizophrenia	64.72	60.3	13	0.34	63.3071736036
Mania	53	51.7	11	0.11818181818	54.7038202010
Social-Introversion	55.91	52.6	11.5	0.28782608695	61.3260066264

MMPI-2					
NAME	DJC				
Date	8/11/06				
Age	63				
Education	21				
Gender	Male				
Initials	djc				
Date					
Validity Scales	Raw Scores	T-Scores			
L	n/a	57.06			
F	n/a	58.07			
K	n/a	46.36			
Clinical Scales	Raw Scores	T-Scores			
Hypochondriasis		75.62			
Depression		68.67			
Hysteria		71.39			
Psychopathic Deviate		56.38			
Masculinity-Femininity		45.94			
Paranoia		55.03			
Psychasthenia		62.26			
Schizophrenia		64.72			
Mania		53			
Social-Introversion		55.91			
Larabee					
ACN, 2003					
18, 673-686					
Closed Head Injury	n = 47				
MMPI					

Validity Scales	T-Scores	Mean	SD	z-Score	Rank
L	57.06	55.7	12	0.113333333333333	54.5116854350
F	58.07	61.5	16.8	-0.204166666666666	41.9111629419
K	46.36	49.3	10.7	-0.27476635514	39.1747874119
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Hypochondriasis	75.62	58.4	12.9	1.334883720930	90.9042796718
Depression	68.67	67.9	15.9	0.048427672959	51.9312297328
Hysteria	71.39	60.4	12.3	0.893495934959	81.4204175963
Psychopathic Deviate	56.38	62.2	13.7	-0.42481751824	33.5484853063
Masculinity-Femininity	45.94	51.7	12.5	-0.4608	32.2471050870
Paranoia	55.03	60.9	13.4	-0.43805970149	33.0671503013
Psychasthenia	62.26	63.1	11.6	-0.07241379310	47.1136304151
Schizophrenia	64.72	65.7	13.7	-0.07153284671	47.1486841804
Mania	53	53.8	10.8	-0.07407407407	47.0475722232
Social-Introversion	55.91	55.4	12.1	0.042148760330	51.6809945220

MMPI-2					
NAME	DJC				
Date	8/11/06				
Age	63				
Education	21				
Gender	Male				
Initials	djc				
Date					
Validity Scales	Raw Scores	T-Scores			
L	n/a	57.06			
F	n/a	58.07			
K	n/a	46.36			
Clinical Scales	Raw Scores	T-Scores			
Hypochondriasis		75.62			
Depression		68.67			
Hysteria		71.39			
Psychopathic Deviate		56.38			
Masculinity-Femininity		45.94			
Paranoia		55.03			
Psychasthenia		62.26			
Schizophrenia		64.72			
Mania		53			
Social-Introversion		55.91			
Larabee					
ACN, 2003					
18, 673-686					
MS	n = 66				

MMPI					
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
L	57.06	53.8	10.5	0.310476190476	62.1900568620
F	58.07	56.6	12.5	0.1176	54.6807697526
K	46.36	51.2	9.4	-0.51489361702	30.3313680744
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Hypochondriasis	75.62	72	9.8	0.369387755101	64.4080638170
Depression	68.67	67.4	14.5	0.087586206896	53.4897217326
Hysteria	71.39	71.4	11.6	-0.00086206896	49.9656084283
Psychopathic Deviate	56.38	54.7	10.6	0.158490566037	56.2964873038
Masculinity-Femininity	45.94	51.8	9.9	-0.591919191919	27.6952350780
Paranoia	55.03	55.4	11.6	-0.03189655172	48.7277274283
Psychasthenia	62.26	60.4	10.7	0.173831775700	56.9001164419
Schizophrenia	64.72	65.5	12.4	-0.06290322580	47.4921783055
Mania	53	52.4	10.5	0.057142857142	52.2784301443
Social-Introversion	55.91	51.6	10.8	0.399074074074	65.5080687634
Nelson, et al.					
ACN, 2003, 419-429					
18, 419-429					
MS	n = 70				
Demographic	Observed	Mean	SD	z-Score	
Age	63	48.68	9.75	1.468717948717	
Education	21	15.07	2.09	2.837320574162	
Male%	75				
MMPI	Time 1				
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
L	57.06	55.86	12.18	0.098522167487	53.9241164760
F	58.07	53.54	10.56	0.428977272727	66.6030117845
K	46.36	53.5	9.25	-0.77189189189	22.0089229977

Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Hypochondriasis	75.62	73.61	10.7	0.187850467289	57.4503063627
Depression	68.67	65.32	12.98	0.258089368258	60.1831031700
Hysteria	71.39	73.04	12.21	-0.135135135135	44.6252515567
Psychopathic Deviate	56.38	53.68	10	0.27	60.6419873198
Masculinity-Femininity	45.94	52.14	9.72	-0.637860082306	26.1782382203
Paranoia	55.03	54.79	12.56	0.019108280254	50.7622637025
Psychasthenia	62.26	58.64	10.12	0.357707509888	63.9718893787
Schizophrenia	64.72	63.82	11.66	0.077186963979	53.0762594027
Mania	53	52.68	8.38	0.038186157517	51.5230371226
Social-Introversion	55.91	46.68	9.89	0.933265925176	82.4658658050
MMPI					
Time 2					
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
L	57.06	55.48	12.04	0.131229235886	55.2203015474
F	58.07	54.25	8.39	0.455303933256	67.5554701518
K	46.36	54.29	9.44	-0.84004237288	20.0442314496
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Hypochondriasis	75.62	71.75	11.04	0.350543478266	63.7034566741
Depression	68.67	64.57	11.46	0.357766143106	63.9740835185
Hysteria	71.39	73	13.69	-0.11760409057	45.3190681815
Psychopathic Deviate	56.38	53.68	9.26	0.291576673866	61.4694843817
Masculinity-Femininity	45.94	54.44	10.01	-0.84915084915	19.7898679405
Paranoia	55.03	51.21	10.72	0.356343283589	63.9208250864
Psychasthenia	62.26	57.89	11.44	0.381993006999	64.8766724174
Schizophrenia	64.72	63.5	10.78	0.113172541749	54.5053117850
Mania	53	49.43	7.35	0.485714285714	68.6415123230
Social-Introversion	55.91	47.68	8.28	0.993961352657	83.9879158459

MMPI-2					
NAME	DJC				
Date	8/11/06				
Age	63				
Education	21				
Gender	Male				
INITIALS	djc				
FSIQ	100				
Date					
Validity Scales	Raw Scores	T-Scores			
L	n/a	57.06			
F	n/a	58.07			
K	n/a	46.36			
F-Back Page	n/a	46.36			
F-Psychopathy Infrequent	n/a	46.36			
F-K					
Dissimulation Scale	n/a	46.36			
FBS	n/a	46.36			
Clinical Scales	Raw Scores	T-Scores			
Hypochondriasis		75.62			
Depression		68.67			
Hysteria		71.39			
Psychopathic Deviate		56.38			
Masculinity-Femininity		45.94			
Paranoia		55.03			
Psychasthenia		62.26			
Schizophrenia		64.72			
Mania		53			
Social-Introversion		55.91			

Supplemental Scales	Raw Scores	T-Scores				
ANX						
FRS						
OBS						
DEP						
BIZ						
ANG						
PSTD-Keane	n/a	59.22				
Sum of Obvious T-Scores	n/a					
Burby & Bagby						
Psych. Assess.						
2006, 14, 4, 472-484						
Workplace Trauma						
Claimants with PTSD	n = 61					Percentile
	Obtained	Mean	SD	z-Score		
Age	63	40	9.34	2.46252676659		
%Male	81.9					
Validity Scales	T-Scores	Mean	SD	z-Score	Rank	
F	58.07	75.62	22.49	-0.7803468208	21.759338	
F-Back Page	46.36	83.26	24.47	-1.50796894156	6.5781238	
Psychopathy Infrequent	46.36	60.44	17.92	-0.78571428571	21.601744	
F-K-Raw Scores		-0.3	10.03			
Dissimulation Scale	46.36	21.31	8.89	2.81777277840	99.758209	
Faking Bad Scale	46.36	26.31	7.7	2.60389610389	99.539146	
Sum of Obvious Index T-Scores	n/a	366.26	61.62			
Feigned Uncoached	n = 35					Percentile
	Obtained	Mean	SD	z-Score		
Age	63	22.3	5.2	7.82692307692		

%Male	58.7				
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
F	58.07	98.78	20.69	-1.96761720637	2.45560492
F-Back Page	46.36	108.89	18.56	-3.36907327586	0.03771068
Psychopathy Infrequent	46.36	88.63	26.32	-1.60600303951	5.41366210
F-K-Raw Scores		12.14	15.33		
Dissimulation Scale	46.36	34.74	10.87	1.068997240110	85.7464543
Faking Bad Scale	46.36	29.34	5.89	2.88964346349	99.8071605
Sum of Obvious Index T-Scores	n/a	418.83	54.54		
Scheibe, Bagby, et al.					
Psych. Assess.					
2001, 13, 3, 369-374					
Workplace Trauma					
Claimants with PTSD	n = 25				
	Obtained	Mean	SD	z-Score	
Age	63	39.08	10.62	2.252354048964	
%Male	100				
Clinical	T-Scores	Mean	SD	z-Score	Rank
Depression	68.67	87.28	12.58	-1.47933227344	6.95257650
Pt	62.26	85.24	13.07	-1.75822494261	3.93546214
Schizophrenia	64.72	82.64	17.16	-1.04428904428	14.8175840
Content	T-Scores	Mean	SD	z-Score	Rank
ANX	0	79.84	10.21	-7.81978452497	0.00000000
FRS	0	65.26	12.01	-5.43380516236	0.00000275
OBS	0	62.96	11.41	-5.51796669588	0.00000171
DEP	0	75.44	11.06	-6.82097649186	0.00000000
BIZ	0	60.48	15.28	-3.95811518324	0.00377711
ANG	0	58.64	12.53	-4.67996807661	0.00014344
PK	59.22	81.24	14.53	-1.51548520302	6.48247873

Claimants without PTSD	n = 25				
	Obtained	Mean	SD	z-Score	
Age	63	39.08	10.62	2.25235404896	
%Male	100				
Clinical	T-Scores	Mean	SD	z-Score	Rank
Depression	68.67	74.33	15.55	-0.36398713826	35.7933806
Pt	62.26	64.29	16.34	-0.12423500611	45.0564603
Schizophrenia	64.72	66.1	19.63	-0.07030056036	47.1977218
Content	T-Scores	Mean	SD	z-Score	Rank
ANX	0	60.57	14.08	-4.30184659090	0.00084690
FRS	0	55.57	13.62	-4.08002936857	0.00225150
OBS	0	52.43	10.71	-4.89542483660	0.00004904
DEP	0	62.19	14.73	-4.22199592668	0.00121074
BIZ	0	54.33	11.32	-4.79946996466	0.00007954
ANG	0	52.19	11.42	-4.57005253940	0.00024380
PK	59.22	63.19	17.27	-0.22987840185	40.9093129

MMPI-2					
NAME	DJC				
Date	8/11/06				
Age	63				
Education	21				
Gender	Male				
INITIALS	djc				
FSIQ	100				
Date					
Validity Scales	Raw Scores	T-Scores			
L	n/a	57.06			
F	n/a	58.07			
K	n/a	46.36			
F-Back Page	n/a	46.36			
F-Psychopathy Infrequent	n/a	46.36			
F-K					
Dissimulation Scale	n/a	46.36			
FBS	n/a	46.36			
Clinical Scales	Raw Scores	T-Scores			
Hypochondriasis		75.62			
Depression		68.67			
Hysteria		71.39			
Psychopathic Deviate		56.38			
Masculinity-Femininity		45.94			
Paranoia		55.03			
Psychasthenia		62.26			
Schizophrenia		64.72			
Mania		53			
Social-Introversion		55.91			

Supplemental Scales	Raw Scores	T-Scores			
ANX					
FRS					
OBS					
DEP					
BIZ					
ANG					
PSTD-Keane	n/a	59.22			
Sum of Obvious T-Scores	n/a				
DeViva,& Bloem					
JOTS, 2003					
16, 5, 503-507					
Combat PTSD					
	Obtained	Mean	SD	z-Score	
Age	63	47.4	4.3	3.62790697674	
Education	21	12.6	1.6	5.25	
FSIQ	100	92.6	11.2	0.660714285714	
Exaggerated	n = 42				Percentile
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Depression	68.67	88.2	10.6	-1.84245283018	3.27044700941
Psychopathic Deviate	56.38	77.4	9.6	-2.18958333333	1.42772344179
Paranoia	55.03	94.2	14.9	-2.62885906040	0.42835929703
Psychasthenia	62.26	92.2	10.6	-2.82452830188	0.23675133157
Schizophrenia	64.72	104.1	11.5	-3.42434782608	0.03081384403
PSTD-Keane	59.22	103.5	6.4	-6.91875	0.00000000022
Unexaggerated	n = 99				Percentile
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Depression	68.67	81.8	10.1	-1.3	9.68004845856
Psychopathic Deviate	56.38	71.8	12.1	-1.27438016528	10.1264359128

Paranoia	55.03	74.1	16.1	-1.18447204968	11.81131270287
Psychasthenia	62.26	81	12.7	-1.47559055118	7.00269216106
Schizophrenia	64.72	82	15.3	-1.12941176470	12.93620861088
PSTD-Keane	59.22	86.7	12.4	-2.21612903225	1.334133322260
Burby & Bagby					
Psych. Assess.					
2006, 14, 4, 472-484					
Workplace Trauma					
Claimants with PTSD	n = 61				Percentile
	Obtained	Mean	SD	z-Score	
Age	63	40	9.34	2.46252676659	
%Male	81.9				
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
F	58.07	75.62	22.49	-0.78034682080	21.75933802840
F-Back Page	46.36	83.26	24.47	-1.50796894156	6.578123810550
Psychopathy Infrequent	46.36	60.44	17.92	-0.78571428571	21.60174460025
F-K-Raw Scores		-0.3	10.03		
Dissimulation Scale	46.36	21.31	8.89	2.81777277840	99.75820990769
Faking Bad Scale	46.36	26.31	7.7	2.60389610389	99.53914653658
Sum of Obvious Index T-Scores	n/a	366.26	61.62		
Feigned Uncoached	n = 35				Percentile
	Obtained	Mean	SD	z-Score	
Age	63	22.3	5.2	7.82692307692	
%Male	58.7				
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
F	58.07	98.78	20.69	-1.96761720637	2.455604922890
F-Back Page	46.36	108.89	18.56	-3.36907327586	0.037710687640
Psychopathy Infrequent	46.36	88.63	26.32	-1.60600303951	5.41366210605
F-K-Raw Scores		12.14	15.33		

Dissimulation Scale	46.36	34.74	10.87	1.068997240110	85.7464543490
Faking Bad Scale	46.36	29.34	5.89	2.88964346349	99.8071605108
Sum of Obvious Index T-Scores	n/a	418.83	54.54		
Scheibe, Bagby, et al. Psych. Assess. 2001, 13, 3, 369-374 Workplace Trauma					
Claimants with PTSD	n = 25				
	Obtained	Mean	SD	z-Score	
Age	63	39.08	10.62	2.25235404896	
%Male	100				
Clinical	T-Scores	Mean	SD	z-Score	Rank
Depression	68.67	87.28	12.58	-1.47933227344	6.95257656614
Pt	62.26	85.24	13.07	-1.75822494261	3.93546214212
Schizophrenia	64.72	82.64	17.16	-1.04428904428	14.8175840056
Content	T-Scores	Mean	SD	z-Score	Rank
ANX	0	79.84	10.21	-7.81978452497	0.000000000000
FRS	0	65.26	12.01	-5.43380516236	0.000002758240
OBS	0	62.96	11.41	-5.51796669588	0.00000171472
DEP	0	75.44	11.06	-6.82097649186	0.00000000045
BIZ	0	60.48	15.28	-3.95811518324	0.00377717641
ANG	0	58.64	12.53	-4.67996807661	0.00014345979
PK	59.22	81.24	14.53	-1.51548520302	6.48247873823
Claimants without PTSD	n = 25				
	Obtained	Mean	SD	z-Score	
Age	63	39.08	10.62	2.25235404896	
%Male	100				
Clinical	T-Scores	Mean	SD	z-Score	Rank

Depression	68.67	74.33	15.55	-0.36398713826	35.79338068826
Pt	62.26	64.29	16.34	-0.12423500611	45.05646030269
Schizophrenia	64.72	66.1	19.63	-0.07030056036	47.1977218252
Content	T-Scores	Mean	SD	z-Score	Rank
ANX	0	60.57	14.08	-4.30184659090	0.00084690285
FRS	0	55.57	13.62	-4.08002936857	0.00225150056
OBS	0	52.43	10.71	-4.89542483660	0.00004904678
DEP	0	62.19	14.73	-4.22199592668	0.00121074243
BIZ	0	54.33	11.32	-4.79946996466	0.00007954304
ANG	0	52.19	11.42	-4.57005253940	0.00024380097
PK	59.22	63.19	17.27	-0.22987840185	40.9093129874

MMPI-2					
NAME	DJC				
Date	8/11/06				
Age	63				
Education	21				
Gender	Male				
Initials	djc				
Date					
Validity Scales	Raw Scores	T-Scores			
L	n/a	57.06			
F	n/a	58.07			
K	n/a	46.36			
Clinical Scales	Raw Scores	T-Scores			
Hypochondriasis		75.62			
Depression		68.67			
Hysteria		71.39			
Psychopathic Deviate		56.38			
Masculinity-Femininity		45.94			
Paranoia		55.03			
Psychasthenia		62.26			
Schizophrenia		64.72			
Mania		53			
Social-Introversion		55.91			
Suhr, et al.					
JCEN, 1997					
19, 500-514					
Depression	n = 30				

MMPI					
Validity Scales	T-Scores	Mean	SD	z-Score	Rank
L	57.06	56.2	8.9	0.0966292	53.848957
F	58.07	71	21.1	-0.6127962	27.000554
K	46.36	47.3	13.5	-0.0696296	47.224422
Clinical Scales	T-Scores	Mean	SD	z-Score	Rank
Hypochondriasis	75.62	72.2	16.1	0.2124223	58.4111228
Depression	68.67	78.9	13.1	-0.7809160	21.742594
Hysteria	71.39	72.4	15.9	-0.0635220	47.467541
Psychopathic Deviate	56.38	61.6	12.9	-0.4046511	34.286697
Masculinity-Femininity	45.94	50.1	9.4	-0.4425531	32.904447
Paranoia	55.03	64.2	16.2	-0.5660493	28.568010
Psychasthenia	62.26	65.1	13.6	-0.2088235	41.729300
Schizophrenia	64.72	72.3	16.7	-0.4538922	32.495320
Mania	53	50.4	8.6	0.3023255	61.879806
Social-Introversion	55.91	64.8	11.9	-0.7470588	22.751402